
## **Assess Group**



# 

MTB DISC......3-8 ROAD DISC......9-10 ROAD ......11-13 BIVIX......14-20 TRIAL.....21-22 FAT BIKE.......33-24 CITY......25-26




## **MTB Disc**



Gauge: 14
O.L.D.: 100/110mm
P.C.D.: 58mm

Weight: 208g







#### M11FDQ/RDQ

Holes: 24, 32, 36H Holes: 24, 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 110mm O.L.D.: 148mm

P.C.D.: 58mm P.C.D.: 58mm

Weight: 189g Weight: 310g

#### M12FDQ/RDQ

Holes: 24, 32, 36H Holes: 24, 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 142mm

P.C.D.: 58mm P.C.D.: 58mm

Weight: 166g Weight: 289g

## MTB Disc



S02FDQ/RDQ

Holes: 24, 32, 36H Holes: 24, 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 135mm

P.C.D.: 58mm P.C.D.: 58mm

Weight: 236g Weight: 377g



#### S15FDQ/RDQ

Holes: 24, 32, 36H Holes: 24, 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 135mm

P.C.D.: 58mm P.C.D.: 58mm

Weight: 253g Weight: 350g



#### M03FDQ/RDQ

Holes: 24H Holes: 24H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 135mm

Weight: 187g Weight: 368g



M05FDQ/RDQ

Holes: 24H Holes: 24H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 135mm

Weight: 203g Weight: 333g

## MTB Disc



M06FDQ/RDQ

Holes: 24, 32, 36H Holes: 24, 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 135mm

P.C.D.: 58mm P.C.D.: 58mm

Weight: 153g Weight: 280g



M08FDQ/RDQ

Holes: 24, 32, 36H Holes: 24, 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 135mm

P.C.D.: 58mm P.C.D.: 58mm

Weight: 160g Weight: 265g




#### M09RDQ

Holes: 24, 32, 36H

Gauge: 14

O.L.D.: 135mm

Weight: 412g





## **Road Disc**



RA13FDQ/RDQ

Holes: 24H Holes: 24H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 135mm

P.C.D.: 44mm P.C.D.: 44mm

Weight: 212g Weight: 309g



RA32FDQ/RDQ

Holes: 24, 32H Holes: 24, 32H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 130mm

P.C.D.: 45, 58mm P.C.D.: 49, 58mm

Weight: 152g Weight: 281g



RA17FQ/RQ

Holes: 20H Holes: 24H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 130mm

P.C.D.: 28mm P.C.D.: 28, 49mm

Weight: 102g Weight: 241g



RA01FQ/RQ

Holes: 16, 20, 24H Holes: 20, 24H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 130mm

P.C.D.: 32mm P.C.D.: 49mm

Weight: 86g Weight: 272g



RA02FQ/RQ

Holes: 16H Holes: 20H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 130mm

P.C.D.: 32mm P.C.D.: 49mm

Weight: 83g Weight: 264g



RA03FQ/RQ

Holes: 16, 20, 24H Holes: 20, 24, 32H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 130mm

P.C.D.: 32mm P.C.D.: 66mm

Weight: 79g Weight: 272g



RA06FQ/RA05RQ

Holes: 20H Holes: 24H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 130mm

Weight: 80g Weight: 278g



RA08FQ/RQ

Holes: 20, 24H Holes: 24, 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 130mm

P.C.D.: 34mm P.C.D.: 58mm

Weight: 84g Weight: 230g

RA09RQ

Holes: 24, 32, 36H

Gauge: 14

O.L.D.: 130mm

P.C.D.: 45, 58mm

Weight: 224g





#### BX02FSA

Holes: 32, 36, 48H

Gauge: 14

O.L.D.: 100mm

P.C.D.: 45mm

Weight: 263g



#### **BX03FSA**

Holes: 32, 36H

Gauge: 14

O.L.D.: 100mm

P.C.D.: 38mm

Weight: 192g



#### BX09FSA

Holes: 36H

Gauge: 14

O.L.D.: 100mm

P.C.D.: 38mm

Weight: 275g



#### **BX18FSA**

Holes: 36, 48H

Gauge: 14

O.L.D.: 100mm

P.C.D.: 62mm

Weight: 180g





#### **BX01RSB**

Holes: 36, 48H

Gauge: 14

O.L.D.: 110mm

P.C.D.: 58mm

Weight: 560g

With 9t or10t driver



#### **BX03RSA**

Holes: 36, 48H

Gauge: 14

O.L.D.: 110mm

P.C.D.: 49mm

Weight: 381g

With 9t or10t driver



#### **BX05RSA**

Holes: 36, 48H

Gauge: 14

O.L.D.: 110mm

P.C.D.: 49mm

Weight: 467g

With 9t or 10t driver



#### **BX09RSA**

Holes: 36, 48H

Gauge: 14

O.L.D.: 110mm

P.C.D.: 45, 58mm

Weight: 552g

With 9t or 10t driver



#### **BX17RSA**

Holes: 36, 48H

Gauge: 14

O.L.D.: 110mm

P.C.D.: 58mm

Weight: 497g

With changeable sprocket,

available in 16t or 18t



#### **BX18RSA**

Holes: 36, 48H

Gauge: 14

O.L.D.: 110mm

P.C.D.: 58mm

Weight: 451g

With 9t or 10t driver

## **TRIAL**



**BX31FSA/RSA** 

Holes: 32, 36H Holes: 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 100mm O.L.D.: 116mm

P.C.D.: 45, 58mm P.C.D.: 58mm

Weight: 212g Weight: 309g

With 12t, 14t or

16t sprocket



#### DX02RSA

Holes: 36, 48H

Gauge: 14

O.L.D.: 135mm

P.C.D.: 58mm

Weight: 668g

With 9t or 10t driver







#### FT01FDQ/RDQ


Holes: 32, 36H Holes: 32, 36H

Gauge: 14 Gauge: 14

O.L.D.: 150mm O.L.D.: 190mm

P.C.D.: 58mm P.C.D.: 58mm

Weight: 208g Weight: 395g





FB17FSA

Holes: 16, 20, 24H

Gauge: 14

O.L.D.: 74mm

P.C.D.: 32mm

Weight: 73g



FB18FSA

Holes: 16, 20, 24H

Gauge: 14

O.L.D.: 74mm

P.C.D.: 32mm

Weight: 53g



Holes: 16, 20, 24H

Gauge: 14

O.L.D.: 100mm

P.C.D.: 32mm

Weight: 100g



Holes: 20, 24, 28, 32H

Gauge: 14

O.L.D.: 85mm

P.C.D.: 49mm

Weight: 282g

With 12t sprocket

## Spec. Table

MTB-DISC	DH07FD	M11FDQ	M12FDQ	S02FDQ	S15FDQ	M03FDQ	M05FDQ	M06FDQ	M08FDQ
HUBS FRONT									
WEIGHT	208g	189g	166g	236g	253g	187g	203g	153g	160g
HUB SHELL	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY
AXLE	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY
AXLE DIA.	∮5.2/9/15/20mm	∮15	∮15	M9	M9	M9	M9	M9	M9
O.L.D.	100/110mm	110mm	100mm						
AXLE LENGTH	N/A	N/A	N/A	108mm	108mm	108mm	108mm	108mm	108mm
HOLES	24, 32, 36H	24, 32, 36H	24, 32, 36H	24, 32, 36H	24, 32, 36H	24H	24H	24, 32, 36H	24, 32, 36H
GAUGE	14G	14G	14G	14G	14G	14G	14G	14G	14G
P.C.D.	58mm	58,45mm	58mm	58mm	58mm	47.3mm	56mm	58mm	58mm
F.T.F.	58mm	68mm	58mm	60mm	60mm	43.8, 52.8mm	42.3, 51.7mm	58mm	58mm
QR TYPE			0			0	0		
SEALED	©*2	©*2	©*2	©*2	©*2	©*2	©*2	©*2	©*2
BEARINGS									
N.W./G.W. (KG)	10.40/11.40	9.45/10.45	11.00/12.00	11.80/12.80	12.65/13.65	9.35/10.35	10.15/11.15	7.65/8.65	8.00/9.00
OEM/CUFT	50PCS/1.1181	50PCS/1.1181	50PCS/1.1181	50PCS/1.1181	50PCS/1.1181	50PCS/0.7496	50PCS/1.1181	50PCS/1.1181	50PCS/1.1181

MTB-DISC HUBS REAR	M11RDQ	M12RDQ	S02RDQ	S15RDQ	M03RDQ	M05RDQ	M06RDQ	M08RDQ	M09RDQ
WEIGHT	310g	289g	377g	350g	368g	333g	280g	265g	412g
HUB SHELL	ALLOY								
AXLE	ALLOY	ALLOY	STEEL	STEEL	STEEL	ALLOY	ALLOY	ALLOY	STEEL
CASSETTE BODY	ALLOY	ALLOY	ALLOY	ALLOY	STEEL	ALLOY	ALLOY	ALLOY	ALLOY
SPEED	9, 10, 11S	9, 10, 118	9, 10, 11S	9, 10, 118	9, 10, 11S	9, 10, 118	9, 10, 118	9, 10, 11S	9, 10, 11S
CASSETTE/ FREEWHEEL	CASSETTE								
PAWLS	3	3	3	3	3	3	3	6	36
AXLE DIA.	∮12	∮12	M10						
O.L.D.	148mm	142mm	135mm						
AXLE LENGTH	N/A	N/A	145mm						
HOLES	32,36H	32,36H	24, 32, 36H	24, 32, 36H	24H	24H	24, 32, 36H	24, 32, 36H	24, 32, 36H
GAUGE	14G								
P.C.D.	58mm	58mm	58mm	58mm	47.3mm	56mm	58mm	58mm	58mm
F.T.F.	63.6mm	57.1mm	57mm	57mm	44.8/53.8mm	44.8/54.2mm	57mm	58mm	57mm
QR TYPE									
SEALED BEARINGS	◎*4	◎*4	◎*4	◎*4	◎*4	◎*4	◎*4	◎*4	<b>©</b> *5
N.W./G.W. (KG)	16.85/17.85	15.90/16.90	16.90/17.90	17.50/18.50	18.40/19.40	16.65/17.65	14.00/14.50	13.25/14.25	20.6/21.6
OEM/CUFT	50PCS/1.5453	50PCS/1.3635	50PCS/1.4544	50PCS/1.4544	50PCS/0.9751	50PCS/0.9751	50PCS/1.4544	50PCS/1.4544	50PCS/1.4544

## Spec. Table

ROAD HUBS	RA17FQ	RA01FQ	RA02FQ	RA03FQ	RA06FQ	RA08FQ	RA13FDQ	RA32FDQ
FRONT								
WEIGHT	102g	86g	83g	79g	80g	84g	212g	152g
HUB SHELL	ALLOY							
AXLE	ALLOY							
AXLE DIA.	M9							
O.L.D.	100mm							
AXLE LENGTH	108mm							
HOLES	20H	16, 20,24H	16H	16,20,24H	20H	20,24H	24H	24,32H
GAUGE	14 <b>G</b>	14 <b>G</b>	14G	14G	14G	14 <b>G</b>	14G	14G
P.C.D.	28mm	32mm	32mm	32mm	31.58mm	38mm	44mm	58,45mm
F.T.F.	72.9mm	72mm	72mm	72mm	68mm	72mm	50.7mm	60mm
QR TYPE			0		0		0	
SEALED	©*2	©*2	©*2	©*2	©*2	©*2	©*2	©*2
BEARINGS								
N.W./G.W. (KG)	5.1/6.1	4.30/5.30	4.15/5.15	3.95/4.95	4.00/5.00	4.20/5.20	10.60/11.60	7.6/8.6
OEM/CUFT	50PCS/0.4349	50PCS/0.4349	50PCS/0.4314	50PCS/0.4314	50PCS/0.4314	50PCS/0.4314	50PCS/1.1181	50PCS/1.1181

ROAD HUBS REAR	RA17RQ	RA01RQ	RA02RQ	RA03RQ	RA05RQ	RA08RQ	RA09RQ	RA13RDQ	RA32RDQ
WEIGHT	241g	272g	264g	272g	278g	230g	224g	309g	281g
HUB SHELL	ALLOY								
AXLE	ALLOY								
CASSETTE BODY	ALLOY								
SPEED	8, 9, 10S	9, 10, 11S	9, 10, 11S	9, 10, 11S	9, 10, 11S				
CASSETTE/ FREEWHEEL	CASSETTE								
PAWLS	3	3	3	3	3	6	6	3	3
AXLE DIA.	M10								
O.L.D.	130mm	135mm	130mm						
AXLE LENGTH	140mm	145mm	140mm						
HOLES	24H	20, 24H	20H	20, 24, 32H	24H	24, 32, 36H	24, 32, 36H	24H	24,32H
GAUGE	14 <b>G</b>	14G	14G	14G	14 <b>G</b>	14G	14G	14G	14 <b>G</b>
P.C.D.	28, 49mm	49mm	49mm	66mm	47mm	58mm	45,58mm	44mm	49,58mm
F.T.F.	52.7, 57.5mm	57mm	57mm	57mm	47.3, 56.7mm	57mm	57mm	51.2mm	51.6mm
QR TYPE									
SEALED BEARINGS	◎*4	◎*4	©*4	◎*5	©*4	O*4	◎*4	©*4	◎*4
N.W./G.W. (KG)	12.05/13.05	13.60/14.60	13.20/14.20	13.60/14.60	13.90/14.90	11.50/12.50	11.50/12.50	15.45/16.45	14.05/15.05
OEM/CUFT	50PCS/1.1124	50PCS/1.1124	50PCS/1.7846	50PCS/1.7846	50PCS/0.9751	50PCS/1.4544	50PCS/1.4544	50PCS/1.4544	50PCS/1.4544

## Spec. Table

BMX HUBS FRONT	BX02FSA	BX03FSA	BX09FSA	BX18FSA
WEIGHT	263g	192g	275g	180g
HUB SHELL	ALLOY	ALLOY	ALLOY	ALLOY
AXLE	STEEL	STEEL	STEEL	STEEL
AXLE DIA.	3/8", M14	3/8", M14	3/8"	3/8"
O.L.D.	100mm	100mm	100mm	100mm
AXLE LENGTH	140-165mm	100mm	140-165mm	140-165mm
HOLES	32, 36, 48H	32,36H	32,36H	36,48H
GAUGE	14 <b>G</b>	14G	14G	14G
P.C.D.	45mm	38mm	38mm	62mm
F.T.F.	72mm	72mm	72mm	72mm
BOLT TYPE	N/A		N/A	
			1 4/1 1	
NUTTED	0	N/A	0	N/A
NUTTED SEALED	© ©*2	_		
		N/A	0	N/A
SEALED		N/A	0	N/A

TRIAL HUBS FRONT	BX31FSA
WEIGHT	212g
HUB SHELL	ALLOY
AXLE	ALLOY
AXLE DIA.	M10
O.L.D.	100mm
AXLE LENGTH	116mm
HOLES	32,36H
GAUGE	14G
P.C.D.	45,58mm
F.T.F.	60mm
BOLT TYPE	
NUTTED	N/A
SEALED	◎*2
BEARINGS	
N.W./G.W. (KG)	10.60/11.60
OEM/CUFT	50PCS/1.109

BMX HUBS REAR	BX01RSB	BX03RSA	BX05RSA	BX09RSA	BX17RSA	BX18RSA	TRIAL HUBS REAR	DX02RSA	BX31RSA
WEIGHT	560g	381g	467g	552g	497g	451g	WEIGHT	668g	309g
HUB SHELL	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	ALLOY	HUB SHELL	ALLOY	ALLOY
AXLE	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL	AXLE	STEEL	STEEL
DRIVER	9/10t	9/10t	9/10t	9/10t	16/18t	9/10t	DRIVER	9/10t	12/14/16t
SPEED	1S	1S	1S	1S	1S	1S	SPEED	1S	1S
CASSETTE/ FREEWHEEL	CASSETTE	CASSETTE	CASSETTE	CASSETTE	CASSETTE	CASSETTE	CASSETTE/ FREEWHEEL	CASSETTE	FREEWHEE L
PAWLS	3	3	3	3	3	3	PAWLS	3	N/A
AXLE DIA.	M14	3/8", M14	M14	M14	3/8", M14	3/8", M14	AXLE DIA.	M14	M10
O.L.D.	110mm	110mm	110mm	110mm	110mm	110mm	O.L.D.	135mm	116mm
AXLE LENGTH	165-185mm	110mm	165-185mm	165-185mm	165-185mm	165-185mm	AXLE LENGTH	180mm	132mm
HOLES	36,48H	36,48H	36,48H	36,48H	36,48H	36,48H	HOLES	36,48H	32, 36H
GAUGE	14G	14G	14G	14G	14G	14G	GAUGE	14G	14G
P.C.D.	58mm	49mm	49mm	45/58mm	58mm	58mm	P.C.D.	58mm	58mm
F.T.F.	57mm	57mm	57mm	57mm	57mm	57mm	F.T.F.	75mm	58mm
BOLT TYPE	N/A		N/A	N/A	N/A	N/A	BOLT TYPE	N/A	
NUTTED	0	N/A			0		NUTTED		N/A
SEALED BEARINGS	©*5	©*5	©*5	©*5	©*5	<b>©</b> *5	SEALED BEARINGS	◎*5	©*2
N.W./G.W. (KG)	14.00/15.00	19.05/20.05	23.35/24.35	13.80/14.80	24.85/25.85	22.55/23.55	N.W./G.W. (KG)	16.50/17.50	15.45/16.45
OEM/CUFT	25PCS/0.7787	50PCS/0.9142	50PCS/0.8723	25PCS/0.7787	25PCS/0.7787	25PCS/0.7787	OEM/CUFT	25PCS/0.6039	50PCS/1.1090

FAT BIKE	FT01FDQ
HUBS FRONT	
WEIGHT	208g
HUB SHELL	ALLOY
AXLE	N/A
AXLE DIA.	∮15/5.2mm
O.L.D.	150mm
AXLE LENGTH	N/A
HOLES	32, 36H
GAUGE	14G
P.C.D.	58mm
F.T.F.	97mm
QR TYPE	
SEALED	©*2
BEARINGS	
N.W./G.W. (KG)	10.4/11.4
OEM/CUFT	50PCS/1.5453

CITY BIKE	T03FSA	FB17FSA	FB18FSA
HUBS FRONT			
WEIGHT	100g	73g	53g
HUB SHELL	ALLOY	ALLOY	ALLOY
AXLE	ALLOY	ALLOY	ALLOY
AXLE DIA.	3/8	M9	M9
O.L.D.	100mm	74mm	74mm
AXLE LENGTH	108mm	82mm	82mm
HOLES	16, 20, 24H	16, 20, 24H	16, 20, 24H
GAUGE	14G	14G	14G
P.C.D.	32mm	32mm	32mm
F.T.F.	72mm	46mm	46mm
QR TYPE			
BOLT TYPE	0	N/A	N/A
SEALED	©*2	©*2	©*2
BEARINGS			
N.W./G.W. (KG)	5.25/6.25	7.30/8.30	5.30/6.30
OEM/CUFT	100PCS/0.8698	100PCS/0.5657	100PCS/0.5657

FAT BIKE	FT01RDQ
HUBS REAR	
WEIGHT	395g
HUB SHELL	ALLOY
AXLE	N/A
CASSETTE	ALLOY
BODY	
SPEED	9, 10, 11S
CASSETTE/	CASSETTE
FREEWHEEL	
PAWLS	3
AXLE DIA.	∮5.2/12mm
O.L.D.	190mm
AXLE LENGTH	N/A
HOLES	32, 36H
GAUGE	14G
P.C.D.	58mm
F.T.F.	103.8mm
QR TYPE	0
SEALED	©*5
BEARINGS	
N.W./G.W. (KG)	19.75/20.75
OEM/CUFT	50PCS/1.9089

CITY BIKE	T12RSA
HUBS REAR	
WEIGHT	282g
HUB SHELL	ALLOY
AXLE	STEEL
CASSETTE	STEEL
BODY	
SPEED	1S (10/12t)
CASSETTE/	CASSETTE
FREEWHEEL	
PAWLS	3
AXLE DIA.	3/8"
O.L.D.	85mm
AXLE LENGTH	93mm
HOLES	20, 24, 28, 32H
GAUGE	14G
P.C.D.	49mm
F.T.F.	50mm
QR TYPE	N/A
BOLT TYPE	0
SEALED	©*2
BEARINGS	
N.W./G.W. (KG)	14.10/15.10
OEM/CUFT	50PCS/0.6704

## RIMITE

#### Assess Industry Co., Ltd.

#135, Ln.11, Sec.5, Changping Rd. Shengang, Taichung, 42944

Taiwan

Tel: +886 4 2562-3506 / Fax: +886 4 2561-3868

sales@assess-hubs.com



